

AFRL-VA-WP-TR-1998-3005

**ANALYSIS OF LIMIT CYCLE
OSCILLATION/TRANSONIC HIGH
ALPHA FLOW VISUALIZATION**



Part 3: Oscillating Model Data

**Atlee M. Cunningham, Jr.
Lockheed Martin Tactical Aircraft Systems
Fort Worth TX**

and

**Evert G. M. Geurts
National Aerospace Laboratory (NLR)
Amsterdam, The Netherlands**

JANUARY 1998

FINAL REPORT FOR PERIOD OCTOBER 1994 - OCTOBER 1997

Approved for public release; distribution unlimited

19980929 099


**AIR VEHICLES DIRECTORATE
AIR FORCE RESEARCH LABORATORY
AIR FORCE MATERIEL COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OH 45433-7542**


NOTICE


When Government drawings, specifications, or other data are used for any purpose other than in connection with a definite Government-related procurement, the United States Government incurs no responsibility or any obligation whatsoever. The fact that the Government may have formulated or in any way supplied the said drawings, specification, or other data, is not to be regarded by implication, or otherwise in any manner construed, as licensing the holder, or any other person or corporation, or as conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This report is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

This technical report has been reviewed and is approved for publication.


L. J. HUTTSELL
Project Engineer
Vibration & Aeroelasticity Branch


MIKE ZEIGLER
Core Area Leader
Structural Integrity of Aging Aircraft


BRADLEY J. BUXTON, CAPT, USAF
Acting Chief, Vibration & Aeroelasticity Branch
Structures Division

If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization, please notify AFRL/VASV Bldg. 45, 2130 Eighth St Ste 1, WPAFB OH 45433-7542 to help maintain a current mailing list.

Copies of this report should not be returned unless return is required by security consideration, contractual obligations, or notice on a specified document.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE January 1998	3. REPORT TYPE AND DATES COVERED FINAL REPORT - OCT 94 to OCT 97	
4. TITLE AND SUBTITLE ANALYSIS OF LIMIT CYCLE OSCILLATION/TRANSONIC HIGH ALPHA FLOW VISUALIZATION PART 3: OSCILLATING MODEL DATA			5. FUNDING NUMBERS C: F49620-94-C-0093 PE: 62201F PR: 2401 TA: LE WU: 00	
6. AUTHOR(S) ATLEE M. CUNNINGHAM, JR., EVERT G. M. GEURTS				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Lockheed Martin Tactical Aircraft Systems, Fort Worth TX National Aerospace Laboratory (NLR), Amsterdam, The Netherlands			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Vehicles Directorate Air Force Research Laboratory Air Force Materiel Command Wright-Patterson Air Force Base, Oh 45433-7542 POC: L. J. Huttzell, AFRL/VASV, 937-255-7384			10. SPONSORING / MONITORING AGENCY REPORT NUMBER AFRL-VA-WP-TR-1998-3005	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) A flow visualization test was conducted with the simple straked wing in August, 1996 (at the National Aerospace Laboratory [NLR], The Netherlands), for the purpose of obtaining flow visualization data to complement the pressure and force data base generated in earlier tests of the same configuration. This test was conducted in two parts to examine the flow field characteristics (1) at high alpha conditions that involve vortices, shocks, and separated flows, and (2) at low alpha conditions typical of transonic LCO flows with and without tip stores. Laser light sheet/water vapor techniques were used to illuminate the flows, and video recording was used to obtain the data. Both low and high speed video cameras were used to examine spanwise and streamwise laser sheet positions. In addition, under NLR funding, some preliminary particle image velocimetry (PIV) data were obtained at M=0.225 and 0.6, as well as some pulsed laser flow visualization (9 nano-sec pulse) at M=0.9. Correlation was performed between the flow visualization data from this test and the pressure/force data obtained in 1992 on the same configuration. This report contains the flow visualization results for the oscillating model.				
14. SUBJECT TERMS unsteady aerodynamics, transonic, high incidence flow, flow visualization, limit cycle oscillation			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT SAR	

TABLE OF CONTENTS

	Page
1.0 HIGH SPEED VIDEO FLOW VISUALIZATION AND PRESSURE DATA FOR THE CLEAN WING AT $M = 0.6$, OSCILLATING BETWEEN 9 DEG AND 35 DEG	1
2.0 HIGH SPEED VIDEO FLOW VISUALIZATION AND PRESSURE DATA FOR THE CLEAN WING AT $M = 0.9$, OSCILLATING BETWEEN 9 DEG AND 35 DEG	69
3.0 HIGH SPEED VIDEO UNSTEADY LCO FLOW VISUALIZATION FOR THE CLEAN WING AT $M = 0.9$, OSCILLATING AT ± 0.5 DEG AND VARYING MEAN ANGLES	137
4.0 HIGH SPEED VIDEO UNSTEADY LCO FLOW VISUALIZATION FOR THE WING WITH TIP MISSILE AT $M = 0.85$ AND 0.9 , OSCILLATING AT ± 0.5 DEG AND VARYING MEAN ANGLES	145
5.0 HIGH SPEED VIDEO UNSTEADY LCO FLOW VISUALIZATION FOR THE WING WITH TIP MISSILE AT $M = 0.85$, OSCILLATING AT ± 0.5 DEG AND VARYING MEAN ANGLES	155
6.0 REFERENCES	160

LIST OF FIGURES

Figure	Title	Page
1	Flow Visualization Sheet Location for Figures 2, Clean Wing, $M = 0.6$, Oscillating Between 9 deg and 35 deg	1
2.01	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 0.00 deg and 5.62 deg	2
2.02	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 0.0 deg and 5.63 deg	3
2.03	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 11.25 deg and 16.88 deg	4
2.04	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 11.25 deg and 16.88 deg	5
2.05	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 22.50 deg and 28.12 deg	6
2.06	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 22.50 deg and 28.13 deg	7
2.07	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 33.75 deg and 39.38 deg	8
2.08	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 33.75 deg and 39.30 deg	9
2.09	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 45.00 deg and 50.62 deg	10
2.10	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 45.00 deg and 50.62 deg	11
2.11	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 56.25 deg and 61.88 deg	12
2.12	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 56.25 deg and 61.88 deg	13
2.13	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 67.50 deg and 73.12 deg	14
2.14	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 67.50 deg and 73.12 deg	15
2.15	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 78.75 deg and 84.38 deg	16
2.16	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 78.75 deg and 84.38 deg	17
2.17	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 90.00 deg and 95.62 deg	18
2.18	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 90.00 deg and 95.62 deg	19

Figure	Title	Page
2.19	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 101.25 deg and 106.88 deg	20
2.20	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 101.25 deg and 106.33 deg	21
2.21	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 112.50 deg and 118.12 deg	22
2.22	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 112.50 deg and 118.12 deg	23
2.23	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 123.75 deg and 129.38 deg	24
2.24	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 123.75 deg and 129.38 deg	25
2.25	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 135.00 deg and 140.62 deg	26
2.26	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 135.00 deg and 140.62 deg	27
2.27	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 146.25 deg and 151.88 deg	28
2.28	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 146.25 deg and 151.88	29
2.29	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 157.50 deg and 163.12 deg	30
2.30	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 157.50 deg and 163.12 deg	31
2.31	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 168.75 deg and 174.38 deg	32
2.32	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 168.75 deg and 174.38 deg	33
2.33	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 180.00 deg and 185.62 deg	34
2.34	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 180.00 deg and 185.62 deg	35
2.35	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 191.25 deg and 196.88 deg	36
2.36	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 191.25 deg and 196.88 deg	37
2.37	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 202.50 deg and 208.12 deg	38
2.38	High Speed Camera View of Spanwise Laser Light Sheet at M = 0.6 During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 202.50 deg and 208.12 deg	39

Figure	Title	Page
2.39	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 213.75 deg and 219.38 deg	40
2.40	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 213.75 deg and 219.38 deg	41
2.41	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.21 deg at Phase Angles of 225.00 deg and 230.62 deg	42
2.42	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 225.00 deg and 230.62 deg	43
2.43	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 236.25 deg and 241.88 deg	44
2.44	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 236.25 deg and 241.88 deg	45
2.45	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 247.50 deg and 253.12 deg	46
2.46	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 247.50 deg and 253.12 deg	47
2.47	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 258.75 deg and 264.38 deg	48
2.48	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 258.75 deg and 264.38 deg	49
2.49	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 270.00 deg and 275.62 deg	50
2.50	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 270.00 deg and 275.62 deg	51
2.51	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 281.25 deg and 286.88 deg	52
2.52	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 281.25 deg and 286.88 deg	53
2.53	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 292.50 deg and 298.12 deg	54
2.54	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 292.50 deg and 298.12 deg	55
2.55	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 303.75 deg and 309.38 deg	56
2.56	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 303.75 deg and 309.38 deg	57
2.57	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 315.00 deg and 320.62 deg	58
2.58	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 315.00 deg and 320.62 deg	59

Figure	Title	Page
2.59	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 326.25 deg and 331.88 deg	60
2.60	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 326.25 deg and 331.88 deg	61
2.61	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 337.50 deg and 343.12 deg	62
2.62	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 337.50 deg and 343.12 deg	63
2.63	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 348.75 deg and 354.38 deg	64
2.64	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 348.75 deg and 354.38 deg	65
2.65	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 360.00 deg and 365.62 deg	66
2.66	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 360.00 deg and 365.62 deg	67
3	Flow Visualization Sheet Locations for Figures 4, Clean Wing, $M = 0.9$, Oscillating Between 9 deg and 35 deg	69
4.01	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 0.00 deg and 5.62 deg	70
4.02	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 0.00 deg and 5.62 deg	71
4.03	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 11.25 deg and 16.88 deg	72
4.04	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 11.25 deg and 16.88 deg	73
4.05	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 22.50 deg and 28.12 deg	74
4.06	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 22.50 deg and 28.12 deg	75
4.07	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 33.75 deg and 39.38 deg	76
4.08	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 33.75 deg and 39.38 deg	77
4.09	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 45.00 deg and 50.62 deg	78
4.10	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 45.00 deg and 50.62 deg	79
4.11	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 56.25 deg and 61.88 deg	80

Figure	Title	Page
4.12	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 56.25 deg and 61.88 deg	81
4.13	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 67.50 deg and 73.12 deg	82
4.14	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 67.50 deg and 73.12 deg	83
4.15	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 78.75 deg and 84.38 deg	84
4.16	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 78.75 deg and 84.38 deg	85
4.17	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 90.00 deg and 95.62 deg	86
4.18	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 90.00 deg and 95.62 deg	87
4.19	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 101.25 deg and 106.88 deg	88
4.20	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 101.25 deg and 106.88 deg	89
4.21	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 112.50 deg and 118.12 deg	90
4.22	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 112.50 deg and 118.12 deg	91
4.23	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 123.75 deg and 129.38 deg	92
4.24	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 123.75 deg and 129.38 deg	93
4.25	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 135.00 deg and 140.62 deg	94
4.26	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 135.00 deg and 140.62 deg	95
4.27	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 146.25 deg and 151.88 deg	96
4.28	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 146.25 deg and 151.88 deg	97
4.29	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 157.50 deg and 163.12 deg	98
4.30	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 157.50 deg and 163.12 deg	99

Figure	Title	Page
4.31	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 168.75 deg and 174.38 deg	100
4.32	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 168.75 deg and 174.38 deg	101
4.33	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 180.00 deg and 185.62 deg	102
4.34	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 180.00 deg and 185.62 deg	103
4.35	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 191.25 deg and 196.88 deg	104
4.36	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 191.25 deg and 196.88 deg	105
4.37	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 202.50 deg and 208.12 deg	106
4.38	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 202.50 deg and 208.12 deg	107
4.39	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 213.75 deg and 219.38 deg	108
4.40	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 213.75 deg and 219.38 deg	109
4.41	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 225.00 deg and 230.62 deg	110
4.42	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 225.00 deg and 230.62 deg	111
4.43	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 236.25 deg and 241.88 deg	112
4.44	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 236.25 deg and 241.88 deg	113
4.45	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 247.50 deg and 253.12 deg	114
4.46	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 247.50 deg and 253.12 deg	115
4.47	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 258.75 deg and 264.38 deg	116
4.48	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 258.75 deg and 264.38 deg	117
4.49	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 270.00 deg and 275.62 deg	118
4.50	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 270.00 deg and 275.62 deg	119

Figure	Title	Page
4.51	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 281.25 deg and 286.88 deg	120
4.52	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 281.25 deg and 286.88 deg	121
4.53	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 292.50 deg and 298.12 deg	122
4.54	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 292.50 deg and 298.12 deg	123
4.55	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 303.75 deg and 309.38 deg	124
4.56	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching motion from 9.01 deg to 34.97 deg, Phase Angles of 303.75 deg and 309.38 deg	125
4.57	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase angles of 315.00 deg and 320.62 deg	126
4.58	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 315.00 deg and 320.62 deg	127
4.59	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 326.25 deg and 331.88 deg	128
4.60	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 326.25 deg and 331.88 deg	129
4.61	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 337.50 deg and 343.12 deg	130
4.62	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 337.50 deg and 343.12 deg	131
4.63	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 348.75 deg and 354.38 deg	132
4.64	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 348.75 deg and 354.38 deg	133
4.65	Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 360.00 deg and 365.62 deg	134
4.66	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion from 9.01 deg to 34.97 deg, Phase Angles of 360.00 deg and 365.62 deg	135
5	Flow Visualization Locations for Figure 6, LCO Conditions, Clean Wing, $M = 0.9$, Oscillating at ± 0.5 deg	137
6.01	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 8.0$ deg, $d\alpha = 0.5$ deg, $f = 36$ Hz; Clean Wing Configuration	138
6.02	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 9.0$ deg, $d\alpha = 0.5$ deg, $f = 36$ Hz; Clean Wing Configuration	140
6.03	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 10.0$ deg, $d\alpha = 0.5$ deg, $f = 36$ Hz; Clean Wing Configuration	142

Figure	Title	Page
7	Flow Visualization Locations for Figures 8 and 9, LCO Conditions, Wing with Tip Missile, $M = 0.85$ and 0.9 , Oscillating at ± 0.5 deg	145
8.01	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 8.0$ deg, $d\alpha = 0.5$ deg, $f = 36$ Hz; Tip Launcher/Missile Configuration	146
8.02	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 9.0$ deg, $d\alpha = 0.5$ deg, $f = 36$ Hz; Tip Launcher/Missile Configuration	148
8.03	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 10.0$ deg, $d\alpha = 0.5$ deg, $f = 36$ Hz; Tip Launcher/Missile Configuration	150
9.01	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.85$, $\alpha = 9.0$ deg, $d\alpha = 0.5$ deg, $f = 36$ Hz; Tip Launcher/Missile Configuration	152
10	Flow Visualization Locations for Figures 11, LCO Conditions, Wing with Tip Launcher, $M = 0.85$, Oscillating at ± 0.5 deg	155
11.01	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.85$, $\alpha = 7.5$ deg, $d\alpha = 0.5$ deg, $f = 36$ Hz; Tip Launcher Configuration	156
11.02	High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.85$, $\alpha = 8.5$ deg, $d\alpha = 0.5$ deg, $f = 36$ Hz; Tip Launcher Configuration	158

FOREWORD

This report summarizes the results of an investigation into transonic unsteady aerodynamics. Transonic wind tunnel tests were conducted for a semispan straked delta wing model with and without tip stores. Laser light sheet and water vapor were used to obtain flow visualization data to complement force and pressure data obtained in a previous test with the same model.

This test was conducted under a cooperative program of research between the Lockheed Martin Tactical Aircraft Systems (LMTAS), Fort Worth, Texas, USA and the National Aerospace Laboratory (NLR), Amsterdam, The Netherlands. The test was conducted in August, 1996 at NLR. The model and support system were designed and fabricated at NLR under an earlier subcontract during 1989 to 1993 from LMTAS (previously the Fort Worth Division of General Dynamics) that was funded under Air Force Contract F33657-84-C-0247 (CCP4551) for the Aeronautical Systems Center, Wright Patterson Air Force Base, Ohio. Additional funding was also provided for this earlier effort by NLR and the Dutch Ministry of Defense. The August, 1996 flow visualization test preparation, wind tunnel test, and reporting were performed at NLR under a follow-on subcontract from LMTAS. This work was conducted under Air Force Contract F49620-94-C-0093, Air Force Office of Scientific Research, Bolling Air Force Base, DC and administered by Dr. Leonidas Sakell, AFOSR/NA. Funding was provided by the Wright Laboratory Flight Dynamics Directorate, Wright Patterson Air Force Base, Ohio and administered by Mr. L. J. Huttzell (AFRL/VASV). Additional funding was provided by NLR. With funding provided by the Dutch Ministry of Defense, the test was extended with additional measurements on the tip launcher and tip missile configurations. This funding was monitored by Mr. C. Hoffman and Mr. E. Bos of The Netherlands Agency for Aerospace Programmes (NIVR-Contract: 07501N).

The Program Manager was Dr. A. M. Cunningham, Jr. at LMTAS. The principal investigators were Dr. Cunningham at LMTAS, Mr. E. G. M. Geurts at NLR, and Mr. R. G. den Boer (during the early part of the program) also at NLR. Assistance was provided by the following NLR specialists, C.D.G. Dogger, A. J. Persoon, and R. J. Zwaan.

This test is documented in three parts. Part 1 (AFRL-VA-WP-TR-1998-3003) presents background, test setup, and data base descriptions. A detailed discussion of results is also given with continuous references to the data presented in Parts 2 and 3, AFRL-VA-WP-TR-1998-3004 and AFRL-VA-WP-TR-1998-3005. Part 2 includes a large selection of flow visualization video frames and accompanying pressure data for the model stationary at varying Mach and incidence. This report (Part 3) is similar to Part 2, but is for the model oscillating in pitch at both small and large amplitudes also for varying Mach and incidence. The three parts are listed below:

1. "Analysis of Limit Cycle Oscillation/Transonic High Alpha Flow Visualization, Part 1: Discussion", AFRL-VA-WP-TR-1998-3003.
2. "Analysis of Limit Cycle Oscillation/Transonic High Alpha Flow Visualization, Part 2: Stationary Model Data", AFRL-VA-WP-TR-1998-3004.
3. "Analysis of Limit Cycle Oscillation/Transonic High Alpha Flow Visualization, Part 3: Oscillating Model Data", AFRL-VA-WP-TR-1998-3005.

1.0 HIGH SPEED VIDEO FLOW VISUALIZATION AND PRESSURE DATA FOR THE CLEAN WING AT $M = 0.6$, OSCILLATING BETWEEN 9 DEG AND 35 DEG

Individual frames from the high speed video data base (243 frames per second) on tape are presented in this section for the spanwise sheet position 9 as shown in Figure 1, below. The flow visualization data were obtained at 64 frames per cycle with the model oscillating at 4.0 Hz in pitch between the angles of 9 deg and 35 deg and were recorded only on VHS tape. The corresponding pressure data (Reference 1) were obtained with the model performing single pulse (1- cos) motions between 7 deg and 37 deg and back to 7 deg. Both pressure and flow visualization data are shown in Figures 2.01 through 2.66 in a side-by-side format in order to permit direct correlation on the basis of motion phase angle and approximate correlation on the basis of angle.








Figure 1 - Flow Visualization Sheet Location for Figures 2, Clean Wing, $M = 0.6$, Oscillating Between 9 deg and 35 deg



**Figure 2.01 - Unsteady Pressure Distributions During
Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg
at Phase Angles of 0.00 deg and 5.62 deg**



Sheet Position 9, Alpha = 9.01 deg
(Run ID = 77, Frame = 111)



Sheet Position 9, Alpha = 9.07 deg
(Run ID = 77, Frame = 112)

Figure 2.02 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 0.0 Deg and 5.63 Deg







Figure 2.03 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 11.25 deg and 16.88 deg



Sheet Position 9, Alpha = 9.26 deg
(Run ID = 77, Frame = 113)



Sheet Position 9, Alpha = 9.57 deg
(Run ID = 77, Frame = 114)

Figure 2.04 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 11.25 Deg and 16.88 Deg







Figure 2.05 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 22.50 deg and 28.12 deg



Sheet Position 9, Alpha = 10.00 deg
(Run ID = 77, Frame = 115)



Sheet Position 9, Alpha = 10.54 deg
(Run ID = 77, Frame = 116)

Figure 2.06 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 22.50 Deg and 28.13 Deg







Figure 2.07 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 33.75 deg and 39.38 deg



Sheet Position 9, Alpha = 11.20 deg
(Run ID = 77, Frame = 117)



Sheet Position 9, Alpha = 11.96 deg
(Run ID = 77, Frame = 118)

Figure 2.08 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 33.75 Deg and 39.30 Deg







Figure 2.09 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 45.00 deg and 50.62 deg



Sheet Position 9, Alpha = 12.81 deg
(Run ID = 77, Frame = 119)



Sheet Position 9, Alpha = 13.76 deg
(Run ID = 77, Frame = 120)

Figure 2.10 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 45.00 Deg and 50.62 Deg







Figure 2.11 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 56.25 deg and 61.88 deg



Sheet Position 9, Alpha = 14.78 deg
(Run ID = 77, Frame =121)



Sheet Position 9, Alpha = 15.87 deg
(Run ID = 77, Frame = 122)

Figure 2.12 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 56.25 Deg and 61.88 Deg







Figure 2.13 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 67.50 deg and 73.12 deg



Sheet Position 9, Alpha = 17.02 deg
(Run ID = 77, Frame =123)



Sheet Position 9, Alpha = 18.22 deg
(Run ID = 77, Frame = 124)

Figure 2.14 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 67.50 Deg and 73.12 Deg







Figure 2.15 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 78.75 deg and 84.38 deg



Sheet Position 9, Alpha = 19.46 deg
(Run ID = 77, Frame = 125)



Sheet Position 9, Alpha = 20.72 deg
(Run ID = 77, Frame = 126)

Figure 2.16 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 78.75 Deg and 84.38 Deg







Figure 2.17 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 90.00 deg and 95.62 deg



Sheet Position 9, Alpha = 21.99 deg
(Run ID = 77, Frame = 127)



Sheet Position 9, Alpha = 23.26 deg
(Run ID = 77, Frame = 128)

Figure 2.18 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 90.00 Deg and 95.62 Deg







Figure 2.19 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 101.25 deg and 106.88 deg



Sheet Position 9, Alpha = 24.52 deg
(Run ID = 77, Frame = 129)



Sheet Position 9, Alpha = 25.67 deg
(Run ID = 77, Frame = 130)

Figure 2.20 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 101.25 Deg and 106.33 deg







Figure 2.21 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 112.50 deg and 118.12 deg



Sheet Position 9, Alpha = 26.96 deg
(Run ID = 77, Frame = 131)



Sheet Position 9, Alpha = 28.11 deg
(Run ID = 77, Frame = 132)

Figure 2.22 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 112.50 Deg and 118.12 deg







Figure 2.23 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 123.75 deg and 129.38 deg



Sheet Position 9, Alpha = 29.20 deg
(Run ID = 77, Frame = 133)



Sheet Position 9, Alpha = 30.22 deg
(Run ID = 77, Frame = 134)

Figure 2.24 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 123.75 Deg and 129.38 deg







Figure 2.25 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 135.00 deg and 140.62 deg



Sheet Position 9, Alpha = 31.17 deg
(Run ID = 77, Frame = 135)



Sheet Position 9, Alpha = 32.02 deg
(Run ID = 77, Frame = 136)

Figure 2.26 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 135.00 Deg and 140.62 deg







Figure 2.27 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 146.25 deg and 151.88 deg



Sheet Position 9, Alpha = 32.78 deg
(Run ID = 77, Frame = 137)



Sheet Position 9, Alpha = 33.44 deg
(Run ID = 77, Frame = 138)

Figure 2.28 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 146.25 Deg and 151.88 deg







Figure 2.29 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 157.50 deg and 163.12 deg



Sheet Position 9, Alpha = 33.98 deg
(Run ID = 77, Frame = 139)



Sheet Position 9, Alpha = 34.41 deg
(Run ID = 77, Frame = 140)

Figure 2.30 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 157.50 Deg and 163.12 deg







Figure 2.31 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 168.75 deg and 174.38 deg



Sheet Position 9, Alpha = 34.72 deg
(Run ID = 77, Frame = 141)



Sheet Position 9, Alpha = 34.91 deg
(Run ID = 77, Frame = 142)

Figure 2.32 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 168.75 Deg and 174.38 deg







Figure 2.33 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 180.00 deg and 185.62 deg



Sheet Position 9, Alpha = 34.97 deg
(Run ID = 77, Frame = 143)



Sheet Position 9, Alpha = 34.91 deg
(Run ID = 77, Frame = 144)

Figure 2.34 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 180.00 Deg and 185.62 deg







Figure 2.35 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 191.25 deg and 196.88 deg



Sheet Position 9, Alpha = 34.72 deg
(Run ID = 77, Frame = 145)



Sheet Position 9, Alpha = 34.41 deg
(Run ID = 77, Frame = 146)

Figure 2.36 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 191.25 Deg and 196.88 deg







Figure 2.37 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 202.50 deg and 208.12 deg



Sheet Position 9, Alpha = 33.98 deg
(Run ID = 77, Frame = 147)



Sheet Position 9, Alpha = 33.44 deg
(Run ID = 77, Frame = 148)

Figure 2.38 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 202.50 Deg and 208.12 deg







Figure 2.39 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 213.75 deg and 219.38 deg



Sheet Position 9, Alpha = 32.78 deg
(Run ID = 77, Frame = 149)



Sheet Position 9, Alpha = 32.02 deg
(Run ID = 77, Frame = 150)

Figure 2.40 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 213.75 Deg and 219.38 Deg







Figure 2.41 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 225.00 deg and 230.62 deg



Sheet Position 9, Alpha = 31.17 deg
(Run ID = 77, Frame = 151)



Sheet Position 9, Alpha = 30.22 deg
(Run ID = 77, Frame = 152)

Figure 2.42 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 225.00 Deg and 230.62 deg







Figure 2.43 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 236.25 deg and 241.88 deg



Sheet Position 9, Alpha = 29.20 deg
(Run ID = 77, Frame = 153)



Sheet Position 9, Alpha = 28.11 deg
(Run ID = 77, Frame = 154)

Figure 2.44 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 236.25 Deg and 241.88 Deg







Figure 2.45 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 247.50 deg and 253.12 deg



Sheet Position 9, Alpha = 26.96 deg
(Run ID = 77, Frame = 155)



Sheet Position 9, Alpha = 25.76 deg
(Run ID = 77, Frame = 156)

Figure 2.46 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 247.50 Deg and 253.12 Deg







Figure 2.47 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 258.75 deg and 264.38 deg



Sheet Position 9, Alpha = 24.52 deg
(Run ID = 77, Frame = 157)



Sheet Position 9, Alpha = 23.26 deg
(Run ID = 77, Frame = 158)

Figure 2.48 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 258.75 Deg and 264.38 Deg







Figure 2.49 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 270.00 deg and 275.62 deg



Sheet Position 9, Alpha = 21.99 deg
(Run ID = 77, Frame = 159)



Sheet Position 9, Alpha = 20.72 deg
(Run ID = 77, Frame = 160)

Figure 2.50 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 270.00 Deg and 275.62 Deg







Figure 2.51 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 281.25 deg and 286.88 deg



Sheet Position 9, Alpha = 19.46 deg
(Run ID = 77, Frame = 161)



Sheet Position 9, Alpha = 18.22 deg
(Run ID = 77, Frame = 162)

Figure 2.52 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 281.25 Deg and 286.88 Deg







Figure 2.53 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 292.50 deg and 298.12 deg



Sheet Position 9, Alpha = 17.02 deg
(Run ID = 77, Frame = 163)



Sheet Position 9, Alpha = 15.87 deg
(Run ID = 77, Frame = 164)

Figure 2.54 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 292.50 Deg and 298.12 Deg







Figure 2.55 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 303.75 deg and 309.38 deg



Sheet Position 9, Alpha = 14.78 deg
(Run ID = 77, Frame = 165)



Sheet Position 9, Alpha = 13.76 deg
(Run ID = 77, Frame = 166)

Figure 2.56 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 303.75 Deg and 309.38 Deg







Figure 2.57 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 315.00 deg and 320.62 deg



Sheet Position 9, Alpha = 12.81 deg
(Run ID = 77, Frame = 167)



Sheet Position 9, Alpha = 11.96 deg
(Run ID = 77, Frame = 168)

Figure 2.58 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 315.00 Deg and 320.62 Deg







Figure 2.59 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 326.25 deg and 331.88 deg



Sheet Position 9, Alpha = 11.20 deg
(Run ID = 77, Frame = 169)



Sheet Position 9, Alpha = 10.54 deg
(Run ID = 77, Frame = 170)

Figure 2.60 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 326.25 Deg and 331.88 Deg







Figure 2.61 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 337.50 deg and 343.12 deg



Sheet Position 9, Alpha = 10.06 deg
(Run ID = 77, Frame = 171)



Sheet Position 9, Alpha = 9.57 deg
(Run ID = 77, Frame = 172)

Figure 2.62 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 337.50 Deg and 343.12 Deg







Figure 2.63 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 348.75 deg and 354.38 deg



Sheet Position 9, Alpha = 9.26 deg
(Run ID = 77, Frame = 173)



Sheet Position 9, Alpha = 9.07 deg
(Run ID = 77, Frame = 174)

Figure 2.64 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 348.75 Deg and 354.38 Deg







Figure 2.65 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 360.00 deg and 365.62 deg



Sheet Position 9, Alpha = 9.01 deg
(Run ID = 77, Frame = 109)



Sheet Position 9, Alpha = 9.07 deg
(Run ID = 77, Frame = 110)

Figure 2.66 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.6$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 360.00 Deg and 365.62 Deg

(Blank Page)

2.0 HIGH SPEED VIDEO FLOW VISUALIZATION AND PRESSURE DATA FOR THE CLEAN WING AT $M = 0.9$, OSCILLATING BETWEEN 9 DEG AND 35 DEG

Individual frames from the high speed video data base (243 frames per second) are presented in this section for two spanwise sheet positions, 8 and 9, as shown in Figure 3. With exception of the additional sheet position and higher Mach number, the data selection process and presentation format, as shown in the following Figures 4.01 through 4.66 are the same as were used in Section 1 at $M = 0.6$.

Sheet Angle from
Vertical = 22 deg




Figure 3 - Flow Visualization Sheet Locations for Figures 4, Clean Wing, $M = 0.9$, Oscillating Between 9 deg and 35 deg







Figure 4.01 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 0.00 deg and 5.62 deg



Sheet Position 9, Alpha = 9.01 deg
(Run ID = 73, Frame = 99)



Sheet Position 9, Alpha = 9.07deg
(Run ID = 73, Frame = 100)

Figure 4.02 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 0.00 Deg and 5.62 Deg





Figure 4.03 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 11.25 deg and 16.88 deg



Sheet Position 9, Alpha = 9.26 deg
(Run ID = 73, Frame = 101)



Sheet Position 9, Alpha = 9.59 deg
(Run ID = 73, Frame = 102)

Figure 4.04 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 11.25 Deg and 16.88 Deg






Figure 4.05 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 22.50 deg and 28.12 deg



Sheet Position 9, Alpha = 10.00 deg
(Run ID = 73, Frame = 103)



Sheet Position 9, Alpha = 10.54 deg
(Run ID = 73, Frame = 104)

Figure 4.06 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 22.50 Deg and 28.12 Deg







Figure 4.07 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 33.75 deg and 39.38 deg



Sheet Position 9, Alpha = 11.20 deg
(Run ID = 73, Frame = 105)



Sheet Position 9, Alpha = 11.96 deg
(Run ID = 73, Frame = 106)

Figure 4.08 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 33.75 Deg and 39.38 Deg







Figure 4.09 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 45.00 deg and 50.62 deg





Sheet Position 9, Alpha = 12.81 deg
(Run ID = 73, Frame = 107)




Sheet Position 9, Alpha = 13.76 deg
(Run ID = 73, Frame = 108)


Figure 4.10 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 45.00 Deg and 50.62 Deg



**Figure 4.11 - Unsteady Pressure Distributions During
Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg
at Phase Angles of 56.25 deg and 61.88 deg**





Sheet Position 9, Alpha = 14.78 deg
(Run ID = 73, Frame = 109)




Sheet Position 9, Alpha = 15.87 deg
(Run ID = 73, Frame = 110)


Figure 4.12 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 56.25 Deg and 61.88 Deg



**Figure 4.13 - Unsteady Pressure Distributions During
Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg
at Phase Angles of 67.50 deg and 73.12 deg**



Sheet Position 9, Alpha = 17.02 deg
(Run ID = 73, Frame = 111)



Sheet Position 9, Alpha = 18.22 deg
(Run ID = 73, Frame = 112)

Figure 4.14 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 67.50 Deg and 73.12 Deg







Figure 4.15 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 78.75 deg and 84.38 deg





Sheet Position 9, Alpha = 19.46 deg
(Run ID = 73, Frame = 113)




Sheet Position 9, Alpha = 20.72 deg
(Run ID = 73, Frame = 114)


Figure 4.16 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 78.75 Deg and 84.38 Deg



**Figure 4.17 - Unsteady Pressure Distributions During
Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg
at Phase Angles of 90.00 deg and 95.62 deg**



Sheet Position 9, Alpha = 21.99 deg
(Run ID = 73, Frame = 115)



Sheet Position 9, Alpha = 23.26 deg
(Run ID = 73, Frame = 116)

Figure 4.18 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 90.00 Deg and 95.62 Deg







Figure 4.19 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 101.25 deg and 106.88 deg



Sheet Position 9, Alpha = 24.52 deg
(Run ID = 73, Frame = 117)



Sheet Position 9, Alpha = 25.76 deg
(Run ID = 73, Frame = 118)

Figure 4.20 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 101.25 Deg and 106.88 Deg







Figure 4.21 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 112.50 deg and 118.12 deg



Sheet Position 9, Alpha = 26.96 deg
(Run ID = 73, Frame = 119)



Sheet Position 9, Alpha = 28.11 deg
(Run ID = 73, Frame = 120)

Figure 4.22 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 112.50 Deg and 118.12 Deg







Figure 4.23 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 123.75 deg and 129.38 deg



Sheet Position 9, Alpha = 29.20 deg
(Run ID = 73, Frame = 121)



Sheet Position 9, Alpha = 30.22 deg
(Run ID = 73, Frame = 122)

Figure 4.24 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 123.75 Deg and 129.38 Deg







Figure 4.25 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 135.00 deg and 140.62 deg



Sheet Position 9, Alpha = 31.17 deg
(Run ID = 73, Frame = 123)



Sheet Position 9, Alpha = 32.02 deg
(Run ID = 73, Frame = 124)

Figure 4.26 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 135.00 Deg and 140.62 Deg







Figure 4.27 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 146.25 deg and 151.88 deg



Sheet Position 9, Alpha = 32.78 deg
(Run ID = 73, Frame = 125)



Sheet Position 9, Alpha = 33.44 deg
(Run ID = 73, Frame = 126)

Figure 4.28 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 146.25 Deg and 151.88 Deg







Figure 4.29 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 157.50 deg and 163.12 deg



Sheet Position 9, Alpha = 33.98deg
(Run ID = 73, Frame = 127)



Sheet Position 9, Alpha = 34.41 deg
(Run ID = 73, Frame = 128)

Figure 4.30 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 157.50 Deg and 163.12 Deg







Figure 4.31 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 168.75 deg and 174.38 deg



Sheet Position 9, Alpha = 34.72 deg
(Run ID = 73, Frame = 129)



Sheet Position 9, Alpha = 34.91 deg
(Run ID = 73, Frame = 130)

Figure 4.32 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 168.75 Deg and 174.38 Deg







Figure 4.33 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 180.00 deg and 185.62 deg



Sheet Position 9, Alpha = 34.97 deg
(Run ID = 73, Frame = 131)



Sheet Position 9, Alpha = 34.91 deg
(Run ID = 73, Frame = 132)

Figure 4.34 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 180.00Deg and 185.62 Deg







Figure 4.35 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 191.25 deg and 196.88 deg



Sheet Position 9, Alpha = 34.72 deg
(Run ID = 73, Frame = 133)



Sheet Position 9, Alpha = 34.41 deg
(Run ID = 73, Frame = 134)

Figure 4.36 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 191.25 Deg and 196.88 Deg







Figure 4.37 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 202.50 deg and 208.12 deg



Sheet Position 9, Alpha = 33.98 deg
(Run ID = 73, Frame = 135)



Sheet Position 9, Alpha = 33.44 deg
(Run ID = 73, Frame = 136)

Figure 4.38 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 202.50 Deg and 208.12 Deg







Figure 4.39 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 213.75 deg and 219.38 deg



Sheet Position 9, Alpha = 32.78 deg
(Run ID = 73, Frame = 137)



Sheet Position 9, Alpha = 32.02 deg
(Run ID = 73, Frame = 138)

Figure 4.40 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 213.75 Deg and 219.38 Deg







Figure 4.41 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 225.00 deg and 230.62 deg



Sheet Position 9, Alpha = 31.17 deg
(Run ID = 73, Frame = 139)



Sheet Position 9, Alpha = 30.22 deg
(Run ID = 73, Frame = 140)

Figure 4.42 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 225.00 Deg and 230.62 Deg







Figure 4.43 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 236.25 deg and 241.88 deg



Sheet Position 9, Alpha = 29.20 deg
(Run ID = 73, Frame = 141)



Sheet Position 9, Alpha = 28.11 deg
(Run ID = 73, Frame = 142)

Figure 4.44 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 236.25 Deg and 241.88 Deg







Figure 4.45 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 247.50 deg and 253.12 deg



Sheet Position 9, Alpha = 29.96 deg 26.96
(Run ID = 73, Frame = 143)



Sheet Position 9, Alpha = 25.76 deg
(Run ID = 73, Frame = 144)

Figure 4.46 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 247.50 Deg and 253.12 Deg







Figure 4.47 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 258.75 deg and 264.38 deg



Sheet Position 9, Alpha = 24.52 deg
(Run ID = 73, Frame = 145)



Sheet Position 9, Alpha = 23.26 deg
(Run ID = 73, Frame = 146)

Figure 4.48 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 258.75 Deg and 264.38 Deg







Figure 4.49 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 270.00 deg and 275.62 deg



Sheet Position 9, Alpha = 21.99 deg
(Run ID = 73, Frame = 147)



Sheet Position 9, Alpha = 20.72 deg
(Run ID = 73, Frame = 148)

Figure 4.50 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 270.00 Deg and 275.62 Deg






Figure 4.51 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 281.25 deg and 286.88 deg



Sheet Position 9, Alpha = 19.46 deg
(Run ID = 73, Frame = 149)



Sheet Position 9, Alpha = 18.22 deg
(Run ID = 73, Frame = 150)

Figure 4.52 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 281.25 Deg and 286.88 Deg







Figure 4.53 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 292.50 deg and 298.12 deg



Sheet Position 9, Alpha = 17.02 deg
(Run ID = 73, Frame = 151)



Sheet Position 9, Alpha = 15.87 deg
(Run ID = 73, Frame = 152)

Figure 4.54 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 292.50 Deg and 298.12 Deg







Figure 4.55 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 303.75 deg and 309.38 deg



Sheet Position 9, Alpha = 14.78 deg
(Run ID = 73, Frame = 153)



Sheet Position 9, Alpha = 13.76 deg
(Run ID = 73, Frame = 154)

Figure 4.56 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 303.75 Deg and 309.38 Deg







Figure 4.57 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 315.00 deg and 320.62 deg



Sheet Position 9, Alpha = 12.81 deg
(Run ID = 73, Frame = 155)



Sheet Position 9, Alpha = 11.96 deg
(Run ID = 73, Frame = 156)

Figure 4.58 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 315.00 Deg and 320.62 Deg







Figure 4.59 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 326.25 deg and 331.88 deg



Sheet Position 9, Alpha = 11.20 deg
(Run ID = 73, Frame = 157)



Sheet Position 9, Alpha = 10.54 deg
(Run ID = 73, Frame = 158)

Figure 4.60 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 326.25 Deg and 331.88 Deg







Figure 4.61 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 337.50 deg and 343.12 deg



Sheet Position 9, Alpha = 10.00 deg
(Run ID = 73, Frame = 159)



Sheet Position 9, Alpha = 9.57 deg
(Run ID = 73, Frame = 160)

Figure 4.62 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 337.50 Deg and 343.12 Deg







Figure 4.63 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 348.75 deg and 354.38 deg



Sheet Position 9, Alpha = 9.26 deg
(Run ID = 73, Frame = 161)



Sheet Position 9, Alpha = 9.07 deg
(Run ID = 73, Frame = 162)

Figure 4.64 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 348.75 Deg and 354.38 Deg






Figure 4.65 - Unsteady Pressure Distributions During Pitching Motion from 7.2 deg to 37.7 deg to 7.1 deg at Phase Angles of 360.00 deg and 365.62 deg



Sheet Position 9, Alpha = 9.01 deg
(Run ID = 73, Frame = 163)



Sheet Position 9, Alpha = 9.07 deg
(Run ID = 73, Frame = 164)

Figure 4.66 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.9$ During Pitching Motion From 9.01 Deg to 34.97 Deg, Phase Angles of 360.00 Deg and 365.62 Deg

(Blank Page)

HIGH SPEED VIDEO UNSTEADY LCO FLOW VISUALIZATION FOR THE CLEAN WING AT $M = 0.9$, OSCILLATING AT ± 0.5 DEG AND VARYING MEAN ANGLES

Individual frames from the high speed video data base for LCO-type conditions are presented in this section for three spanwise sheet positions 11, 12, and 13, as shown in Figure 5, below. (Note: Position 11 is the same as 9, except that it is focused on the outer wing panel). The frame rate was 576 frames per second, which was synchronized to give 16 frames per cycle at the model oscillation frequency of 36Hz. These data are available on the high speed video VHS tape and selected frames in the digital data base (see Reference 2). The data shown in this section in Figures 6.01 through 6.03 are from the digital data base. Four phase angles were chosen during a cycle of oscillation at ± 0.5 deg amplitude corresponding to (1) 0 deg pitching up through the mean angle, (2) 90 deg at maximum angle, (3) 180 deg pitching down through the mean angle, and (4) 270 deg at minimum angle.







Figure 5 - Flow Visualization Locations for Figures 6, LCO Conditions, Clean Wing, $M = 0.9$, Oscillating at ± 0.5 deg




Sheet Pos. 11 (339-34-802)




Sheet Pos. 11 (339-34-806)




Sheet Pos. 12 (334-29-802)



Sheet Pos. 12 (334-29-806)



Sheet Pos. 13 (333-28-802)




Sheet Pos. 13 (333-28-806)


$\phi = 0 \text{ deg}$

$\phi = 90 \text{ deg}$


Figure 6.01 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 8.0 \text{ deg}$, $d\alpha = 0.5 \text{ deg}$, $f = 36\text{Hz}$; Clean Wing Configuration




Sheet Pos. 11 (339-34-810)




Sheet Pos. 11 (339-34-814)




Sheet Pos. 12 (334-29-810)



Sheet Pos. 12 (334-29-814)



Sheet Pos. 13 (333-28-810)




Sheet Pos. 13 (333-28-814)


$\phi = 180 \text{ deg}$

$\phi = 270 \text{ deg}$


Figure 6.01 - (Concluded)




Sheet Pos. 11 (338-33-802)




Sheet Pos. 11 (338-33-806)




Sheet Pos. 12 (335-30-802)



Sheet Pos. 12 (335-30-806)



Sheet Pos. 13 (332-27-802)




Sheet Pos. 13 (332-27-806)


$\phi = 0 \text{ deg}$

$\phi = 90 \text{ deg}$


Figure 6.02 - High Speed Camera View of Spanwise Laser Light
Sheet at $M = 0.90$, $\alpha = 9.0 \text{ deg}$, $d\alpha = 0.5 \text{ deg}$, $f = 36\text{Hz}$;
Clean Wing Configuration




Sheet Pos. 11 (338-33-810)




Sheet Pos. 11 (338-33-814)




Sheet Pos. 12 (335-30-810)



Sheet Pos. 12 (335-30-814)



Sheet Pos. 13 (332-27-810)




Sheet Pos. 13 (332-27-814)


$\phi = 180 \text{ deg}$

$\phi = 270 \text{ deg}$


Figure 6.02 - (Concluded)




Sheet Pos. 11 (337-32-802)




Sheet Pos. 11 (337-32-806)




Sheet Pos. 12 (336-31-802)



Sheet Pos. 12 (336-31-806)



Sheet Pos. 13 (331-26-802)




Sheet Pos. 13 (331-26-806)


$\Phi = 0 \text{ deg}$

$\Phi = 90 \text{ deg}$


Figure 6.03 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 10.0 \text{ deg}$, $d\alpha = 0.5 \text{ deg}$, $f = 36\text{Hz}$; Clean Wing Configuration




Sheet Pos. 11 (337-32-810)




Sheet Pos. 11 (337-32-814)



Sheet Pos. 12 (336-31-810)




Sheet Pos. 12 (336-31-814)



Sheet Pos. 13 (331-26-810)

$\phi = 180 \text{ deg}$



Sheet Pos. 13 (xxx-xx-xxx)

NO DATA

$\phi = 270 \text{ deg}$

Figure 6.03 - (Concluded)

(Blank Page)

4.0 HIGH SPEED VIDEO UNSTEADY LCO FLOW VISUALIZATION FOR THE WING WITH TIP MISSILE AT $M = 0.85$ AND 0.9 , OSCILLATING AT ± 0.5 DEG AND VARYING MEAN ANGLES

The presentation of unsteady LCO flow visualization data in this section for the wing with tip missile is identical to that in Section 3.0 for the clean wing. The sheet position rows, 11, 12, and 13 are also the same as shown in Figure 7, below. Results at $M = 0.9$ are presented in Figures 8.01 through 8.03 and at $M = 0.85$ in Figure 9.01.

Sheet Angle from
Vertical = 4.7 deg







Figure 7 - Flow Visualization Locations for Figures 8 and 9, LCO Conditions, Wing With Tip Missile, $M = 0.85$ and 0.9 , Oscillating at ± 0.5 deg




Sheet Pos. 11 (237-64-610*)




Sheet Pos. 11 (237-64-614*)




Sheet Pos. 12 (252-77-1042)



Sheet Pos. 12 (252-77-1046)



Sheet Pos. 13 (265-92-1012)




Sheet Pos. 13 (265-92-1016)

$\phi = 0 \text{ deg}$


$\phi = 90 \text{ deg}$

Figure 8.01 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 8.0 \text{ deg}$, $d\alpha = 0.5 \text{ deg}$, $f = 36\text{Hz}$; Tip Launcher/Missile Configuration


(* $\alpha = 7.5 \text{ deg}$)




Sheet Pos. 11 (237-64-618*)




Sheet Pos. 11 (237-64-622*)




Sheet Pos. 12 (252-77-1050)



Sheet Pos. 12 (252-77-1054)



Sheet Pos. 13 (265-92-1020)




Sheet Pos. 13 (265-92-1024)

$\phi = 180 \text{ deg}$


$\phi = 270 \text{ deg}$

Figure 8.01 - (Concluded)


(* $\alpha = 7.5 \text{ deg}$)




Sheet Pos. 11 (236-63-914)




Sheet Pos. 11 (236-63-918)




Sheet Pos. 12 (251-76-12)



Sheet Pos. 12 (251-76-16)



Sheet Pos. 13 (264-91-915)




Sheet Pos. 13 (264-91-919)


$\phi = 0 \text{ deg}$

$\phi = 90 \text{ deg}$


**Figure 8.02 - High Speed Camera View of Spanwise Laser Light
Sheet at $M = 0.90$, $\alpha = 9.0 \text{ deg}$, $d\alpha = 0.5 \text{ deg}$,
 $f = 36\text{Hz}$; Tip Launcher/Missile Configuration**




Sheet Pos. 11 (236-63-922)




Sheet Pos. 11 (236-63-926)




Sheet Pos. 12 (251-76-20)



Sheet Pos. 12 (251-76-24)



Sheet Pos. 13 (264-91-891)




Sheet Pos. 13 (264-91-895)


$\phi = 180 \text{ deg}$

$\phi = 270 \text{ deg}$


Figure 8.02 - (Concluded)




Sheet Pos. 11 (235-62-599)




Sheet Pos. 11 (235-62-603)




Sheet Pos. 12 (250-75-870)



Sheet Pos. 12 (250-75-874)



Sheet Pos. 13 (263-90-962)




Sheet Pos. 13 (263-90-966)


$\phi = 0 \text{ deg}$

$\phi = 90 \text{ deg}$


Figure 8.03 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.90$, $\alpha = 10.0 \text{ deg}$, $d\alpha = 0.5 \text{ deg}$, $f = 36\text{Hz}$; Tip Launcher/Missile Configuration




Sheet Pos. 11 (235-62-607)




Sheet Pos. 11 (235-62-611)



Sheet Pos. 12 (250-75-878)




Sheet Pos. 12 (250-75-882)



Sheet Pos. 13 (263-90-970)


$\phi = 180 \text{ deg}$




Sheet Pos. 13 (263-90-974)

$\phi = 270 \text{ deg}$


Figure 8.03 - (Concluded)




Sheet Pos. 11 (274-4-739)




Sheet Pos. 11 (274-4-743)




Sheet Pos. 12 (270-1-290)



Sheet Pos. 12 (270-1-294)



Sheet Pos. 13 (267-97-283)




Sheet Pos. 13 (267-97-287)


$\phi = 0 \text{ deg}$

$\phi = 90 \text{ deg}$


Figure 9.01 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.85$, $\alpha = 9.0 \text{ deg}$, $d\alpha = 0.5 \text{ deg}$, $f = 36\text{Hz}$; Tip Launcher/Missile Configuration




Sheet Pos. 11 (274-4-747)




Sheet Pos. 11 (274-4-751)




Sheet Pos. 12 (270-1-298)



Sheet Pos. 12 (270-1-302)



Sheet Pos. 13 (267-97-291)



Sheet Pos. 13 (267-97-295)

$\phi = 180 \text{ deg}$

$\phi = 270 \text{ deg}$

Figure 9.01 - (Concluded)

(Blank Page)

5.0 HIGH SPEED VIDEO LCO FLOW VISUALIZATION FOR THE WING WITH TIP LAUNCHER AT $M = 0.85$, OSCILLATING AT ± 0.5 DEG AND VARYING MEAN ANGLES

The presentation of unsteady LCO flow visualization data in this section for the wing with tip launcher is also identical to that in Sections 3.0 and 4.0. The sheet positions are also 11, 12, and 13, as shown in Figure 10. Results at $M = 0.85$ are presented in Figures 11.01 and 11.02. (The limitations imposed on this configuration were a result of severe limit cycle oscillations actually encountered on the model. This was not the case for the tip missile or clean wing configurations.)

Sheet Angle from
Vertical = 4.7 deg







Figure 10 - Flow Visualization Locations for Figures 11, LCO Conditions, Wing With Tip Launcher, $M = 0.85$, Oscillating at ± 0.5 deg




Sheet Pos. 11 (179-32-642)




Sheet Pos. 11 (179-32-646)




Sheet Pos. 12 (189-42-336)



Sheet Pos. 12 (189-42-340)



Sheet Pos. 13 (190-43-529)




Sheet Pos. 13 (190-43-533)


$\phi = 0 \text{ deg}$

$\phi = 90 \text{ deg}$


**Figure 11.01 - High Speed Camera View of Spanwise Laser Light
Sheet at $M = 0.85$, $\alpha = 7.5 \text{ deg}$, $d\alpha = 0.5 \text{ deg}$,
 $f = 36\text{Hz}$; Tip Launcher Configuration**




Sheet Pos. 11 (179-32-650)




Sheet Pos. 11 (179-32-654)




Sheet Pos. 12 (189-42-344)



Sheet Pos. 12 (189-42-348)



Sheet Pos. 13 (190-43-537)




Sheet Pos. 13 (190-43-541)


$\phi = 180 \text{ deg}$

$\phi = 270 \text{ deg}$


Figure 11.01 - (Concluded)




Sheet Pos. 11 (178-31-272)




Sheet Pos. 11 (178-31-276)




Sheet Pos. 12 (188-41-882)



Sheet Pos. 12 (188-41-886)



Sheet Pos. 13 (192-45-914)




Sheet Pos. 13 (192-45-918)


$\phi = 0 \text{ deg}$

$\phi = 90 \text{ deg}$


Figure 11.02 - High Speed Camera View of Spanwise Laser Light Sheet at $M = 0.85$, $\alpha = 8.5 \text{ deg}$, $d\alpha = 0.5 \text{ deg}$, $f = 36\text{Hz}$; Tip Launcher Configuration




Sheet Pos. 11 (178-31-280)




Sheet Pos. 11 (178-31-284)




Sheet Pos. 12 (189-41-890)



Sheet Pos. 12 (188-41-894)



Sheet Pos. 13 (192-45-922)



Sheet Pos. 13 (192-45-926)

$\phi = 180 \text{ deg}$

$\phi = 270 \text{ deg}$

Figure 11.02 - (Concluded)

6.0 REFERENCES

1. Cunningham, A. M., Jr. and den Boer, R. G.: Overview of Unsteady Transonic Wind Tunnel Test on a Semispan Straked Delta Wing Oscillating /n Pitch, WL-TR-94-3017 (Additional Wind Tunnel Reports WL - TR-94-3094, WL-TR-94-3095 and WL-TR-94-3096), August 1994
2. Cunningham, A. M., Jr.; Geurtz, E. G. M.; Dogger, C.S.G.; and Persoon, A.J.: Transonic Wind Tunnel Test on the Flow-Visualization of a Semi-Span Simple Straked Delta Wing Model, National Aerospace Laboratory (NLR) Contract Report, CR 97577L, Parts I and II, February 1998